



TRACK₁ Single Circuit Track

Flexible Track System with 1 Circuit and a dedicated ground connection. Track can be surface or suspended and easily field cut for custom length applications.

DETAILS

Input Voltage: 120v 50-60Hz
Finish: White (RAL9010), Black (RAL9011), Silver (RAL7040)
Lengths: 4ft, 8ft (Easily Cut on Site)
Warranty: 5 Years
Weight: 4ft (1.15lbs), 8ft (2.70lbs)


MECHANICAL LOADING



SURFACE AND SUSPENDED

Ordering Information:

T1	LENGTH : 4FT 8FT
	FINISH : WHITE (WH) BLACK (BK) SILVER (SL)



Measurements in Millimeters. To Convert to Inches Divide by 25.4

RECESSED

Ordering Information:

T1R	LENGTH : 4FT 8FT
	FINISH : WHITE (WH) BLACK (BK) SILVER (SL)



Measurements in Millimeters. To Convert to Inches Divide by 25.4

ELECTRICAL CONNECTION



Various accessories available (refer to following pages). Check polarity carefully when installing.





























TRACK₁ Single Circuit Track

AlchemieLighting











ACCESSORIES FOR SURFACE, SUSPENDED AND RECESSED

Confirm conductor polarity during installation for all components.

Ordering Information:

		T1-PF	WHITE (WH) BLACK (BK) SILVER (SL)			T1-PF-FLOAT	WHITE (WH) BLACK (BK) SILVER (SL)
		T1-CONN	WHITE (WH) BLACK (BK) SILVER (SL)			T1-FLEX	WHITE (WH) BLACK (BK) SILVER (SL)
		T1-ENDCAP	WHITE (WH) BLACK (BK) SILVER (SL)			T1-INLINE	WHITE (WH) BLACK (BK) SILVER (SL)
		T3-T	WHITE (WH) BLACK (BK) SILVER (SL)			T1-PF-JBCOVER	WHITE (WH) BLACK (BK) SILVER (SL)
		T1-L	WHITE (WH) BLACK (BK) SILVER (SL)			T1-X	WHITE (WH) BLACK (BK) SILVER (SL)
		T1-TBARCLIP	WHITE (WH) BLACK (BK) SILVER (SL)			T1-MONOPOINT	WHITE (WH) BLACK (BK) SILVER (SL)

ACCESSORIES FOR RECESSED TRACK ONLY- USE FEED ACCESSORIES ABOVE AND CHANGE COVER DURING INSTALL

		T1R-FEED-TOP	WHITE (WH) BLACK (BK) SILVER (SL)			T1R-L-TOP	WHITE (WH) BLACK (BK) SILVER (SL)
		T1R-INLINE-TOP	WHITE (WH) BLACK (BK) SILVER (SL)			T1R-T-TOP	WHITE (WH) BLACK (BK) SILVER (SL)
		T1R-X-TOP	WHITE (WH) BLACK (BK) SILVER (SL)				



Measurements in Millimeters. To Convert to Inches Divide by 25.4

Specifications subject to change without notice.
Last Revision: February 25, 2020



TRACK₁ Single Circuit Track

AlchemieLighting

UNIVERSAL CABLE SUSPENSION KIT

Ordering Information:

TRK-MTG-KIT

Each Kit Includes the following:

- #1 - Track mounting clip for three circuit track system only. Not used.
- #2 - Two washers for use when suspending the track from the L, T and X connectors. One washer for the inside and outside of the connector. When suspending via track sections the washers can be discarded.
- #3 - Cable barrel to secure to mounting screw provided or use threaded attachment by others.
- #4 - Aircraft cable, 16' / 5m length
- #5 - Cable mount to canopy or stud by others.
- #6 - Canopy cover for 4" octagon surface or recessed box. Both Black and White versions included.
- #7 - Small Canopy cover for ACT and non junction box supports. Both Black and White versions included.
- #8 - Junction box mounting bar for octagon box. Center threaded stud for connection to #5

